

Contributors

- J. P. Agostini**, Instituto Nacional de Tecnologia Agropecuaria, Montecarlo, Misiones, Argentina
- Y. S. Ahlawat**, ACPV, Division of Mycology and Plant Pathology, IARI, New Delhi-110012, India
- G. Albanese**, Istituto di Patologia Vegetale, University of Catania, 95123 Catania, Italy
- R. Albiach**, Instituto Valenciano de Investigaciones Agrarias, 46113 Moncada, Valencia, Spain
- L. G. Albrigo**, University of Florida, IFAS, CREC, Lake Alfred, FL 33850, USA
- P. Amatya**, Malepatan, Horticulture Research Station, Pokhara, Nepal
- F. Anvari**, Ramsar Citrus Experimental Station, Ramsar, Iran
- R. K. Arora**, Dept. of Horticulture, CCS Haryana Agricultural University, Hisar, Haryana, India
- P. Azad**, Division of Life Science, Institute of Advanced Study in Science and Technology, Guwahati-22, Assam, India
- A. Azzaro**, ARA Agriculture Services, 95123 Catania, Italy
- J. F. Ballester-Olmos**, Instituto Valenciano de Investigaciones Agrarias, 46113 Moncada, Valencia, Spain
- M. Bar-Joseph**, The Volcani Center, Bet Dagan 50250, Israel
- C. Barthe**, Laboratoire de Biologie Cellulaire et Moléculaire, INRA et Université de Bordeaux II, 33883 Villenave d'Ornon Cedex, France
- G. Barthe**, University of Florida, IFAS, CREC, Lake Alfred, FL 33850, USA
- J. A. Bash**, Dept. of Plant Pathology, University of California, Riverside, CA 92521, USA
- H. Başpınar**, Dept. of Plant Protection, University of Çukurova, 01330 Adana, Turkey
- M. Belaadel**, Société de Développement Agricole (SODEA) B.P. 6280 Rabat-Instituts, Rabat, Morocco
- M. J. G. Beretta**, Instituto Biológico, 01051 Sao Paulo, SP, Brazil
- K. N. Bhagabati**, Dept. of Plant Pathology, Assam Agricultural University, Jorhat-785013, Assam, India
- J. Bonfils**, Laboratoire de Biologie Cellulaire et Moléculaire, INRA et Université de Bordeaux II, 33883 Villenave d'Ornon Cedex, France
- J. M. Bové**, Laboratoire de Biologie Cellulaire et Moléculaire, INRA et Université de Bordeaux II, P.B. 81 - 33883 Villenave d'Ornon Cedex, France
- R. H. Brlansky**, University of Florida, IFAS, CREC, Lake Alfred, FL 33850, USA
- C. Buitendag**, Outspan Citrus Centre, Nelspruit, 1200 South Africa
- A. S. Byadgi**, ACPV, Division of Mycology and Plant Pathology, IARI, New Delhi 110012, India
- M. Cambra**, Instituto Valenciano de Investigaciones Agrarias, 46113 Moncada, Valencia, Spain
- E. Camarasa**, Instituto Valenciano de Investigaciones Agrarias, 46113 Moncada, Valencia, Spain
- O. Carballo**, IVIC, Laboratorio de Virologia Vegetal, Altos de Pipe, Caracas, Venezuela
- E. Carbonell**, Instituto Valenciano de Investigaciones Agrarias, 46113 Moncada, Valencia, Spain
- A. Caruso**, Experimental Institute of Citriculture, 95024 Acireale, Italy
- A. C. Carvalho**, Cutrale Citrus Co., Sao Paulo, Brazil

- A. Catara**, Istituto di Patologia Vegetale, University of Catania, 95123 Catania, Italy
- N. K. Chakraborty**, ACPV, Division of Mycology and Plant Pathology, IARI, New Delhi-110012, India
- C. J. Chang**, Department of Plant Pathology, University of Georgia, Griffin, GA 30223-1797, USA
- Z. Chang**, Citrus Research Institute, Chinese Academy of Agricultural Sciences, Beibei, Chongqing 630712, People's Republic of China
- K. G. Chaudhari**, AICFIP-on Citrus, Shrirampur, MPAU, Rahuri, M.S., India
- V. M. Chavan**, IARI, RS, Agricultural College Estate, Pune - 411005, Maharashtra, India
- S. S. Cheema**, Dept. of Horticulture/Plant Pathology, Punjab Agricultural University, Ludhiana-141 004, India
- A. Çinar**, Dept. of Plant Protection, University of Çukurova, 01330 Adana, Turkey
- R-J. Chippindall**, Dept. of Microbiology, University of the Witwatersrand, Johannesburg, 2050, South Africa
- E. L. Civerolo**, USDA/ARS, Bldg. 005, Beltsville, MD 20705, USA
- O. J. Crocorno**, CEBETEC/ESALQ, USP, Piracicaba, Sao Paulo, Brazil
- J. V. da Graça**, Dept. of Microbiology and Plant Pathology, University of Natal, Pietermaritzburg, South Africa
- E. Dal Bó**, Instituto de Bioquímica y Biología Molecular (IBBM), Facultad de Ciencias Exactas, UNLP, 1900 La Plata, Argentina
- J. L. Danet**, Laboratoire de Biologie Cellulaire et Moléculaire, INRA et Université de Bordeaux II, 33883 Villenave d'Ornon Cedex, France
- B. S. Daulta**, Dept. of Horticulture, CCS Haryana Agricultural University, Hisar, Haryana, India
- T. Davarci**, Citrus Research Institute, P. O. Box 35, 07100 Antalya, Turkey
- M. Davino**, Istituto di Patologia Vegetale, University of Catania, 95123 Catania, Italy
- C. L. Davis**, University of Florida, IFAS, CREC, Lake Alfred, FL 33850, USA
- O. R. de Coll**, Instituto Nacional de Tecnología Agropecuaria, Montecarlo, Misiones, Argentina.
- E. T. de Oliveira**, CEBETEC/ESALQ, USP, Piracicaba, Sao Paulo, Brazil
- K. S. Derrick**, University of Florida, IFAS, CREC, Lake Alfred, FL 33850, USA
- R. A. Dewey**, Instituto de Bioquímica y Biología Molecular (IBBM), Facultad de Ciencias Exactas, UNLP, 1900 La Plata, Argentina
- J. A. Dodds**, Dept. of Plant Pathology, University of California, Riverside, CA 92521, USA
- N. Duran-Vila**, Instituto Valenciano de Investigaciones Agrarias, 46113 Moncada, Valencia, Spain
- Y. Ebrahimi**, Ramsar Citrus Experimental Station, Ramsar, Iran
- A. Efstathiou**, Agricultural Research Institute, Ministry of Agriculture and Natural Resources, Nicosia, Cyprus
- R. K. El Shireiqi**, Ministry of Agriculture and Fisheries, P.O.B. 1509, Dubai, United Arab Emirates
- C. Fuertes Polo**, Instituto Valenciano de Investigaciones Agrarias, 46113 Moncada, Valencia, Spain
- S. H. Futch**, University of Florida, IFAS, CREC, Lake Alfred, FL 33850, USA
- L. A. Gallo**, CEBETEC/ESALQ, USP, Piracicaba, Sao Paulo, Brazil
- S. Gao**, Laboratoire de Biologie Cellulaire et Moléculaire, INRA et Université de Bordeaux II, 33883 Villenave d'Ornon Cedex, France
- A. Garcia, Jr.**, C. A. Neves Paulista, N. Paulista, Sao Paulo, SP, Brazil

- M. L. García**, Instituto de Bioquímica y Biología Molecular (IBBM), Facultad de Ciencias Exactas, UNLP, 1900 La Plata, Argentina
- M. Garnier**, Laboratoire de Biologie Cellulaire et Moléculaire, INRA et Université de Bordeaux II, P.B. 81 - 33883 Villenave d'Ornon Cedex, France
- S. M. Garnsey**, USDA/ARS, 2120 Camden Road, Orlando, FL 32803, USA
- S. Gassouma**, Ministry of Agriculture and Fisheries, P.O.B. 1509, Dubai, U.A.E.
- P. D. Ghiringhelli**, Instituto de Bioquímica y Biología Molecular (IBBM), Facultad de Ciencias Exactas, UNLP, 1900 La Plata, Argentina
- S. P. Ghosh**, NARP, Indian Council of Agricultural Research, New Delhi, India
- F. B. Gidtti**, Cutrale Citrus Co., Sao Paulo, Brazil
- M. Göçmen**, Citrus Research Institute, 07100 Antalya, Turkey
- S. Göral**, Citrus Research Institute, 07100 Antalya, Turkey
- T. Göral**, Citrus Research Institute, 07100 Antalya, Turkey
- M. T. Gorris**, Instituto Valenciano de Investigaciones Agrarias, 46113 Moncada, Valencia, Spain
- T. R. Gottwald**, USDA/ARS, 2120 Camden Road, Orlando, FL 32803, USA
- J. H. Graham**, University of Florida, IFAS, CREC, Lake Alfred, FL 33850, USA
- O. Grau**, Instituto de Bioquímica y Biología Molecular (IBBM), Facultad de Ciencias Exactas, UNLP, 1900 La Plata, Argentina
- V. Grimaldi**, Istituto di Patologia Vegetale, University of Catania, 95123 Catania, Italy
- M. Grisoni**, CIRAD-IRFA, PB 180, 97455 Saint Pierre, Cedex, Reunion (France)
- J. Guerri**, Instituto Valenciano de Investigaciones Agrarias, 46113 Moncada, Valencia, Spain
- D. J. Gumpf**, Dept. of Plant Pathology, University of California, Riverside, CA 92521, USA
- S. Güneş**, Citrus Research Institute, P. O. Box 35, 07100 Antalya, Turkey
- A. Hadidi**, USDA ARS, National Germplasm Resources Laboratory, Beltsville, MD 20705, USA
- A. Hadjinicol**, Agriculture Research Institute, Ministry of Agriculture and Natural Resources, Nicosia, Cyprus
- A. N. Hall**, Dept. of Microbiology and Plant Pathology, University of Pretoria, Pretoria 0002, South Africa
- X. He**, Citrus Research Institute, Chinese Academy of Agricultural Sciences, Beibei, Chongqing 630712, People's Republic of China
- C. T. Henderson**, USDA/ARS, 2120 Camden Road, Orlando, FL 32803, USA
- A. Hermoso de Mendoza**, Instituto Valenciano de Investigaciones Agrarias, 46113 Moncada, Valencia, Spain
- B. G. Hewitt**, University of Florida, IFAS, CREC, Lake Alfred, FL 33850, USA
- J. H. Hill**, Dept. of Plant Pathology, Iowa State University, Ames, IA 50011, USA
- P. T. Hsu**, Fujian Academy of Natural Sciences, Fuzhou 35005, Fujian, China
- T.-H. Hung**, Dept. of Plant Pathology & Entomology, National Taiwan University, Taiwan, Republic of China
- H. Ieki**, Okitsu Branch, Fruit Tree Research Station, Okitsu, Shimizu, Shizuoka, 424-02, Japan
- T. Iwanami**, Okitsu Branch, Fruit Tree Research Station, Okitsu, Shimizu, Shizuoka, 424-02, Japan
- A. P. Jacomino**, IAPAR, P. O. Box 1331, Londrina, Parana, Brazil
- K. Jagadish Chandra**, Division of Mycology and Plant Pathology, IARI, New Delhi-110012, India
- S. Jagoueix**, Laboratoire de Biologie Cellulaire et Moléculaire - INRA et Université de Bordeaux II, 33883 Villenave d'Ornon Cedex, France

- Y. Jiang**, Citrus Research Institute, Chinese Academy of Agricultural Sciences, Beibei, Chongqing 630712, People's Republic of China
- C. Jiezhong**, Citrus Research Institute, Chinese Academy of Agricultural Sciences, Beibei, Chongqing 630712, People's Republic of China
- J. Juárez**, Instituto Valenciano de Investigaciones Agrarias, 46113 Moncada, Valencia, Spain
- T. Kaisuwan**, Nan Horticultural Research Station, Nan 55000, Thailand
- T. Kano**, Fruit Tree Research Station, MAFF, Tsukuba, Ibaraki, 305, Japan
- S. P. Kapur**, Dept. of Horticulture/Plant Pathology, Punjab Agricultural University, Ludhiana-141 004, India
- C. Ke**, Fujian Academy of Agricultural Sciences, Fuzhou 350005, Fujian, China
- S. Ke**, Fujian Academy of Agricultural Sciences, Fuzhou 350005, Fujian, China
- M. Kelten**, Citrus Research Institute, P. O. Box 35, 07100 Antalya, Turkey
- U. Kersting**, Institute of Phytopathology, University of Bonn, 5300 Bonn, Germany
- M. Koizumi**, Tropical Agriculture Research Center, Tsukuba, Ibaraki, 305, Japan
- S. Korkmaz**, Dept. of Plant Protection, University of Cukurova, 01330 Adana, Turkey
- L. Korsten**, Dept. of Microbiology and Plant Pathology, University of Pretoria, Pretoria 0002, South Africa
- J. M. Kotzé**, Dept. of Microbiology and Plant Pathology, University of Pretoria, Pretoria 0002, South Africa
- A. Kyriakou**, Agricultural Research Institute, Ministry of Agriculture and Natural Resources, Nicosia, Cyprus
- T. K. Lama**, Malepatan, Horticulture Research Station, Pokhara, Nepal
- R. La Rosa**, Istituto di Patologia Vegetale, University of Catania, 95123 Catania, Italy
- C. Laviola**, Institute of Plant Pathology, University of Palermo, Viale delle Scienze, 90100 Palermo, Italy
- R. F. Lee**, University of Florida, IFAS, CREC, Lake Alfred, FL 33850, USA
- S. Leocata**, ARA Agriculture Services, 95123 Catania, Italy
- L. Levy**, USDA-ARS, National Germplasm Resources Laboratory, Beltsville, MD 20705, USA
- G. Linwattana**, Nan Horticultural Research Station, Nan 55000, Thailand
- O. Lovisolo**, Istituto di Fitovirologia Applicata, C.N.R., Torino, Italy
- V. R. Mali**, Dept. of Plant Pathology, Marathwada Agric. Univ., Parbhani, India
- K. L. Manjunath**, Plant Pathology Dept., University of Florida, IFAS, Gainesville, FL 32611, USA
- L. J. Marais**, Outspan Citrus Centre, Nelspruit 1200, South Africa
- M. E. Martinez**, Instituto Valenciano de Investigaciones Agrarias, 46113 Moncada, Valencia, Spain
- M. L. Mayoral de Izaquique**, IVIC, Laboratorio de Virologia Vegetal, Altos de Pipe, Caracas, Venezuela
- S. Mermer**, Citrus Research Institute, 07100 Antalya, Turkey
- R. G. Milne**, Istituto di Fitovirologia Applicata, 10135 Torino, Italy
- A. M. M. Mjeni**, Ministry of Agriculture and Fisheries, Muscat, Sultanate of Oman
- P. Moreno**, Instituto Valenciano de Investigaciones Agrarias, 46113 Moncada, Valencia, Spain
- L. Navarro**, Instituto Valenciano de Investigaciones Agrarias, 46113 Moncada, Valencia, Spain
- J. Navas-Castillo**, Instituto Valenciano de Investigaciones Agrarias, 46113 Moncada, Valencia, Spain
- E. B. Nadori**, Unité de Contrôle des Plantes, DDR, Dar es Salam, Morocco
- J. T. Neto**, Instituto Biologico de Sao Paulo, 01051 Sao Paulo, SP, Brazil

- A. Nhami**, Société de Développement Agricole (SODEA) B.P. 6280 Rabat-Instituts, Rabat, Morocco
- C. L. Niblett**, Plant Pathology Dept., University of Florida, IFAS, Gainesville, FL 32611, USA
- F. Ochoa**, Univ. Central de Venezuela, Fac. Agronomía, Inst. Botánica, Maracay 2101-A, Aragua, Venezuela
- M. Omura**, Okitsu Branch, Fruit Tree Research Station, Okitsu Shimizu, Shizuoka, 424-02, Japan
- N. Önelge**, Dept. of Plant Protection, University of Cukurova, 01330 Adana, Turkey
- P. K. Pandey**, Division of Mycology and Plant Pathology, IARI, New Delhi, India
- H. R. Pappu**, Plant Pathology Dept., University of Florida, IFAS, Gainesville, FL 32611, USA
- T. A. Permar**, Nokomis Corp., Altamonte Springs, FL 32715, USA
- J. A. Pina**, Servicio de Semillas y Plantas de Vivero, 46113 Moncada, Valencia, Spain
- J. Piquer**, Instituto Valenciano de Investigaciones Agrarias, 46113 Moncada, Valencia, Spain
- T. M. Pires Leitão**, Instituto Nacional de Investigação Agraria, Estação Agronomica Nacional, 2780 Oeiras, Portugal
- G. Polizzi**, Istituto di Difesa delle Piante, University of Reggio Calabria, 89061 Gallina (RC), Italy
- D. Polycarpou**, Agricultural Research Institute, Ministry of Agriculture and Natural Resources, Nicosia, Cyprus
- M. Prommintara**, Dept. of Agriculture, Chatuchak, Bangkok 10900, Thailand
- P. Ramachandran**, Division of Mycology and Plant Pathology, IARI, New Delhi, India
- S. Ramapandu**, A.P. Agricultural University, Citrus Improvement Project, Tirupati 517 502, Andhra Pradesh, India
- E. Rangel**, Univ. Central de Venezuela, Fac. Agronomia, Inst. de Botanica, Maracay 2101A, Venezuela
- C. Regmi**, Royal Nepal Academy of Science and Technology, Kathmandu, Nepal
- J. Renaudin**, Laboratoire de Biologie Cellulaire et Moléculaire, INRA et Université de Bordeaux II, 33883 Villenave d'Ornon Cedex, France
- P. Rethy**, North Eastern Regional Institute of Science & Technology, Nirjuli, Arunachal Pradesh, India
- C. Rivière**, CIRAD-IRFA, PB 180, 97455 Saint Pierre, Cedex, France
- M. A. Rocha-Peña**, INIFAP/SARH, General Terán, N. L. 67400 Mexico
- C. N. Roistacher**, Dept. of Plant Pathology, University of California, Riverside, CA 92521, USA
- V. Romanowski**, Instituto de Bioquímica y Biología Molecular (IBBM), Facultad de Ciencias Exactas, UNLP, 1900 La Plata, Argentina
- J. Romero**, Instituto Valenciano de Investigaciones Agrarias, 46113 Moncada, Valencia, Spain
- V. Rossetti**, Instituto Biológico, 01051 Sao Paulo, SP, Brazil
- A. A. Salibe**, Faculty of Agricultural Sciences, UNESP-Botucatu, SP, Brazil
- C. Saillard**, Laboratoire de Biologie Cellulaire et Moléculaire, INRA et Université de Bordeaux II, 33883 Villenave d'Ornon Cedex, France
- G. M. Sanders**, Dept. of Microbiology and Plant Pathology, University of Pretoria, Pretoria 0002, South Africa
- J. M. Santos**, Cutrale Citrus Co., Sao Paulo, Brazil
- G. Şaş**, Dept. of Plant Protection, University of Çukurova, 01330 Adana, Turkey
- J. S. Semancik**, Dept. of Plant Pathology, University of California, Riverside, CA 92521, USA
- L. C. Semorile**, Instituto de Bioquímica y Biología Molecular (IBBM), Facultad de Ciencias Exactas, UNLP, 1900 La Plata, Argentina

- C. Şengonca**, Institute of Phytopathology, University of Bonn, 5300 Bonn, Germany
- S. Shrestha**, Royal Nepal Academy of Science and Technology, Kathmandu, Nepal
- B. Singh**, North Eastern Regional Institute of Science & Technology, Nirjuli, Arunachal Pradesh, India
- M. Skaria**, Texas A&I University Citrus Center, Weslaco, TX 78596, USA
- H. S. Sori**, Dept. of Horticulture/Plant Pathology, Punjab Agricultural University, Ludhiana-141 004, India
- M. Srivastava**, ACPV, Division of Mycology and Plant Pathology, IARI, New Delhi 110012, India
- A. Starrantino**, Experimental Institute of Citriculture, 95024 Acireale, Italy
- H.-J. Su**, Department of Plant Pathology & Entomology, National Taiwan University, Taiwan, Republic of China
- A. S. Summanwar**, IARI, RS, Agricultural College Estate, Pune - 411005, Maharashtra, India
- H. A. Tademir**, Citrus Research Institute, 07100 Antalya, Turkey
- T. Tasdemir**, Citrus Research Institute, 07100 Antalya, Turkey
- A. R. R. Texeira**, Instituto Biológico-SP, CEP: 01064-970, São Paulo, SP, Brazil
- G. Terranova**, Experimental Institute of Citriculture, 95024 Acireale, Italy
- M. Tessitori**, Istituto di Patologia Vegetale, University of Catania, 95123 Catania, Italy
- S. K. Thind**, Dept. of Horticulture/Plant Pathology, Punjab Agricultural University, Ludhiana-141 004, India
- L. W. Timmer**, University of Florida, IFAS, CREC, Lake Alfred, FL 33850
- G. Trujillo**, Univ. Central de Venezuela, Fac. Agronomía, Inst. Botánica, Maracay 2101-A, Aragua, Venezuela
- M.-C. Tsai**, Department of Plant Pathology & Entomology, National Taiwan University, Taipei, Taiwan, Republic of China
- A. Tubelis**, Faculty of Agricultural Sciences, UNESP, Botucatu, S.P., Brazil
- D. P. H. Tucker**, University of Florida, IFAS, CREC, Lake Alfred, FL 33850, USA
- N. Uygun**, Dept. of Plant Protection, University of Çukurova, 01330 Adana, Turkey
- R. Van Deusen**, Dept. of Plant Pathology, Iowa State University, Ames, IA 50011, USA.
- S. P. Van Vuuren**, Institute for Tropical and Subtropical Crops, Nelspruit 1200, South Africa
- A. Varma**, ACPV, Division of Mycology and Plant Pathology, IARI, New Delhi-110012, India
- S. Villechanoux**, Laboratoire de Biologie Cellulaire et Université de Bordeaux II, 33883 Villenave d'Ornon Cedex, France
- L. A. von Broembsen**, Outspan International, Hennopsmeer, Republic of South Africa
- V. H. Whitlock**, Dept. of Microbiology, University of the Witwatersrand, Johannesburg 2050, South Africa
- R. J. Wu**, Fujian Academy of Agricultural Sciences, Fuzhou 350005, Fujian, China
- H. Yang**, Fujian Academy of Agricultural Sciences, Fuzhou 350005, Fujian, China
- M. Zebzami**, Unité de Contrôle des Plantes, DDR, Dar es Salam, Morocco
- X. Zhao**, Citrus Research Institute, Chinese Academy of Agricultural Sciences, Beibei, Chongqing 630712, People's Republic of China
- C. Zhou**, Citrus Research Institute, Chinese Academy of Agricultural Sciences, Beibei, Chongqing 630712, People's Republic of China
- A. Zidane**, Société de Développement Agricole (SODEA) B.P. 6280 Rabat-Instituta, Rabat, Morocco
- L. Zreik**, Laboratoire de Biologie Cellulaire et Moléculaire, INRA et Université de Bordeaux II, 33883 Villenave d'Ornon Cedex, France