

Contributors

- E. Abreu-Rodríguez**, University of Puerto Rico, Mayaguez, Puerto Rico
O. Acosta, Unidad de Biotecnología, Universidad Nacional, Bogota, Colombia
M. Aftab, Department of Plant Science, University of Auckland, P Bag 92019, Auckland, New Zealand
Y. S. Ahlawat, Division of Plant Pathology, IARI, New Delhi-110012, India
M. Akbulut, Plant Pathology Department, University of Florida, Gainesville, FL 32611, USA
G. Albanese, Istituto di Patologia Vegetale, University of Catania, 95123 Catania, Italy
M. R. Albiach, Instituto Valenciano de Investigaciones Agrarias, 46113 Moncada, Spain
A. Alegria, Universidad del Valle, Cali, Colombia
M. A. Alforque, Bureau of Plant Industry, Bago-Oshiro, Davao City, Philippines
M. L. Amoy, Philippine-German Fruit Tree Project, PO Box 11, Baguio City 2600, Philippines
F. Anvari, Iran Citrus Research Center, Ramsar, Iran
B. Aubert, CIRAD-FLHOR, BP 5035, 34032 Montpellier, France
J. C. Autrey, Mauritius Sugar Industry Research Institute, Réduit, Mauritius
J. F. Ballester-Olmos, Instituto Valenciano de Investigaciones Agrarias, 46113 Moncada, Spain
S. Baloglu, Çukurova University, Adana, 01330, Turkey
C. R. Baptista, Centro do Citricultura Sylvio Moreira/IAC, 13490-970, Cord-eirópolis SP, Brazil
J. J. Baraer, CIRAD Polynesie BP 380477, Punaavia, Tamanu, French Polynesia
C. J. Barbosa, CNPMF/EMBRAPA, CP 7, 44.380.000 Cruz das Almas, Bahia, Brazil
I. Barchia, Biological & Chemical Research Institute, NSW Agriculture, PMB 10, Rydalmere NSW 2116, Australia
M. Bar-Joseph, Department of Virology, ARO, Volcani Center, POB 6, Bet Dagan, 50250 Israel
L. Batista, Instituto de Investigaciones de Cítricos, Ministry of Agriculture, Havana, Cuba
D. Benschoter, University of Florida, TREC, Homestead, FL 33031, USA
Y. Ben-Shalom, Department of Virology, ARO, Volcani Center, POB 6, Bet Dagan, 50250 Israel
M. J. G. Beretta, Instituto Biológico, CP 7119, 01064-970 São Paulo SP, Brazil
P. Bonnet, Laboratoire Cellulaire et Moléculaire, INRA et Université de Bordeaux, BP 81, 33883 Villenave d'Ornon, France
J. Borbón, Junta Agroempresarial Dominicana Inc., Santo Domingo, Dominican Republic
J. Bourdeaut, CIRAD-FLHOR, B.P. 627, Central Post, Ho Chi Minh City, Vietnam
J. M. Bové, Laboratoire Cellulaire et Moléculaire, INRA et Université de Bordeaux II, BP 81, 33883 Villenave d'Ornon, France
J. H. J. Breytenbach, Outspan Citrus Centre, P.O. 28, Nelspruit 1200, South Africa
P. (Barkley) Broadbent, NSW Agriculture, Elizabeth MacAuthur Agric. Inst., NSW Australia, PMB 10, Rydalmere 2116, Australia
L. G. Brown, FDACS, Div. Plant Industry, P.O. Box 147100, Gainesville, FL 32614-7100, USA

- M. Cambra**, Instituto Valenciano de Investigaciones Agrarias, 46113 Moncada, Spain
- H. Canton**, Citrus Company of Belize, P Bag 7, Belize City, Belize
- A. Caruso**, Istituto Sperimentale per l'Agrumicoltura, Corso Savoia 190, 95024 Acireale, Italy
- S. A. Carvalho**, Centro do Citricultura Sylvio Moreira/IAC, CP 04, 13490-970, Cordeirópolis SP, Brazil
- A. Catara**, Istituto di Patologia Vegetale, University of Catania, 95123 Catania, Italy
- B. Cevik**, Department of Plant Pathology, University of Florida, Gainesville, FL 32611, USA
- C. M. Chagas**, Instituto Biológico, CP 7119, 01064-970 São Paulo SP, Brazil
- Chen Chunxian**, Citrus Research Institute, Huazhong Agricultural University, Wuhan, Hubei 430070, China
- Chen Guojun**, Agricultural Bureau, Anhua County 413500, Hunan, China
- Chen Guoqing**, Citrus Research Institute, Zhejiang Academy of Sciences, Huangyan 317400, Zhejiang, China
- A. Cinar**, Subtropical Fruits Research and Experimental Centre, University of Çukurova, 01330 Adana, Turkey
- S. Coelho**, CNMPF/EMBRAPA, CP 7, 44.380.000 Cruz das Almas, Bahia, Brazil
- A. Colaricchio**, Instituto Biológico, CP 7119, 01064-970 São Paulo SP, Brazil
- N. Costa**, EEA INTA, Concordia, Entre Ríos, Argentina
- R. C. S. Couto**, CNPMF/EMBRAPA, CP 7, 44.380.000 Cruz das Almas, Bahia, Brazil
- J. Crum**, Maran Groves Corp., Sarasota, FL 34240, USA
- J. da Graça**, Department of Microbiology & Plant Pathology, University of Natal, P. Bag X01 Scottsville, Pietermaritzburg, 3209 South Africa
- E. Dal Bó**, IBBM, Facultad de Ciencias Exactas, Universidad Nacional de La Plata, 1900 La Plata, Argentina
- V. Damsteegt**, USDA, ARS, FD-WSRU, Frederick MD 21702 USA
- J.-L. Danet**, Laboratoire Cellulaire et Moléculaire, INRA et Université de Bordeaux II, BP 81, 33883 Villenave d'Ornon, France
- M. Davino**, Istituto di Patologia Vegetale, University of Catania, 95123 Catania, Italy
- W. O. Dawson**, University of Florida, CREC, 700 Experiment Station, Lake Alfred, FL 33850 USA
- J. L. de Castro**, Estação Experimental de Capão Bonito, Capão Bonito, SP, Brazil
- J. O. de Figueiredo**, Centro de Citricultura Sylvio Moreira/IAC, CP 04, 13490-970, Cordeirópolis SP, Brazil
- Deng Shixin**, Yancun Overseas Chinese Citrus Farm, Guangdong, China
- C. Dephoff**, Biological & Chemical Research Institute, NSW Agriculture, PMB 10, Rydalmer NSW 2116, Australia
- K. S. Derrick**, University of Florida, CREC, 700 Experiment Station Road, Lake Alfred, FL 33850, USA
- R. A. Dewey**, IBBM, Facultad de Ciencias Exactas, Universidad Nacional de La Plata, IMYZA, CICA-INTA, Argentina
- K. Djelouah**, Istituto di Fitovirologia Applicata del CNR, I-10135 Torino, Italy
- J. A. Dodds**, Dept. Plant Pathology, University of California, Riverside, CA 92521, USA
- A. Dookun**, Mauritius Sugar Industry Research Institute, Réduit, Mauritius

- Du Yuying**, Yancan Overseas Chinese Citrus Farm of Guangdong Province, P. R. China
- Y. Ebrahimi**, Iran Citrus Research Center, P.O. Box 189, Ramsar, Iran
- B. Ertuğrul**, University of Çukurova, Dept. Plant Protection, 01330 Adana, Turkey
- V. J. Febres**, Plant Pathology Department, University of Florida, Gainesville, FL 32611, USA
- O. Fernandez del Amo**, Instituto de Investigaciones Cítricos, Ministry of Agriculture, Havana, Cuba
- X. Foissac**, Laboratoire Cellulaire et Moléculaire, INRA et Université de Bordeaux II, BP 81, 33883 Villenave d'Ornon, France
- Fong Daorong**, Citrus Research Institute, Huazhong Agricultural University, Wuhan, Hubei, 430070, China
- N. Franks**, Biological & Chemical Research Institute, NSW Agriculture, PMB 10, Rydalmere NSW 2116, Australia
- E. Fuggetta**, Istituto di Patologia Vegetale, University of Catania, 95123 Catania, Italy
- S. Futch**, University of Florida, CREC, 700 Experiment Station Road, Lake Alfred, FL 33850 USA
- R. Gafny**, Department of Virology, ARO, Volcani Center, POB 6, Bet Dagan, 50250 Israel
- S. Gago-Zachert**, IBBM, Facultad de Ciencias Exactas, Universidad Nacional de La Plata, 1900 La Plata, Argentina
- R. Gallão**, Gravena-Manejo Ecológico de Pragas Agrícolas Ltda., Jaboticabal, São Paulo SP, Brazil
- A. Garcia Junior**, CATI-Neves Paulista, São Paulo SP, Brazil
- M. L. García**, IBBM, Facultad de Ciencias Exactas, Universidad Nacional de La Plata, 1900 La Plata, Argentina
- M. Garnier**, Laboratoire Cellulaire et Moléculaire, INRA et Université de Bordeaux II, BP 81, 33883 Villenave d'Ornon, France
- S. M. Garnsey**, USDA/ARS, 2120 Camden Rd, Orlando, FL 32803, USA
- P. Gaurivaud**, Laboratoire Cellulaire et Moléculaire, INRA et Université de Bordeaux II, BP 81, 33883 Villenave d'Ornon, France
- J. Gavriel**, Department of Agriculture, Nicosia, Cyprus
- M. R. Gillings**, Biological & Chemical Research Institute, NSW Agriculture, PMB 10, Rydalmere NSW 2116, Australia
- M. T. Gleeson**, Biological & Chemical Research Institute, NSW Agriculture, PMB 10, Rydalmere NSW 2116, Australia
- R. Gofman**, Department of Virology, ARO, Volcani Center, POB 6, Bet Dagan, 50250 Israel
- T. R. Gottwald**, USDA/ARS, 2120 Camden Rd, Orlando FL 32803, USA
- O. Grau**, IBBM, Facultad de Ciencias Exactas, Universidad Nacional de La Plata, 1900 La Plata, Argentina
- S. Gravena**, Gravena-Manejo Ecológico de Pragas Agrícolas Ltda., Jaboticabal, São Paulo SP, Brazil
- V. Grimaldi**, Istituto di Patologia Vegetale, University of Catania, 95123 Catania, Italy
- M. Grisoni**, CIRAD-FLHOR, BP 180, 97410 St Pierre, Réunion
- M. B. Guerrero**, Philippine-German Fruit Tree Project, P.O.Box 11, Baguio City 2600, Philippines
- J. Guerri**, Instituto Valenciano de Investigaciones de Agrarias, 46113 Moncada, Spain

- N. Guirado**, Seção de Virologia Fitotécnica, IAC, CP 28, 13001-970 Campinas SP, Brazil
- A. Gutiérrez**, Instituto de Investigaciones de Cítricos, Ministry of Agriculture, Havana, Cuba
- M. Guzmán-Barney**, Unidad de Biotecnolo Research Institute, Nicosia, Cyprus
- Ha Minh Trung**, Institut de la Protection des Plantas, Ckem, Tu liem, Hanoi, Vietnam
- A. Hadjinicolis**, Department of Virology, ARO, Volcani Center, POB 6, Bet Dagan, 50250 Israel
- R. Harakava**, Instituto Biológico, CP 7119, 01064-970 São Paulo SP, Brazil
- L. E. Herradura**, Bureau of Plant Industry, Bago-Oshiro, Davao City, Philippines
- M. Hooker**, University of Florida, AREC, Ft. Pierce, FL 34945 USA
- Hu Qin Xue**, Hunan Horticultural Research Institute, Changsha, 410125 Hunan, China
- Hu Weirong**, Citrus Research Institute, Huazhong Agricultural University, Wuhan, Hubei, 430070, China
- Huang Zhiyuan**, Fruit Research Institute, Sichuan Academy of Agricultural Sciences, Jiangjin, 632260 Sichuan, Province, China
- Huynh Tri Duc**, Long Dinh Fruit Research Center, Chau Thanh, Tien Giang, Vietnam
- Huynh Van Thanh**, Long Dinh Fruit Research Center, Chau Thanh, Tien Giang, Vietnam
- H. Ieki**, Okitsu Branch, Fruit Tree Research Station, Okitsu, Shimizu, Shizuoka 424- 02, Japan
- J. O. Indsto**, Biological & Chemical Research Institute, NSW Agriculture, PMB 10, Rydalmere NSW 2116. Australia
- N. Ioannou**, Agricultural Research Institute, Nicosia, Cyprus
- M. S. Irey**, US Sugar Corporation, PO Drawer 1207, Clewiston, FL 33440, USA
- T. Ito**, Okitsu Branch, Fruit Tree Research Station, Shimizu, Shizuoka 424-02, Japan
- T. Iwanami**, Okitsu Branch, Fruit Tree Research Station, Shimizu, Shizuoka 424-02, Japan
- S. Jagoueix**, Laboratoire Cellulaire et Moléculaire, INRA et Université de Bordeaux II, BP 81, 33883 Villenave d'Ornon, France
- Jiang Ling**, Department of Horticulture, Huazhong Agriculture University, Wuhan 430070, China
- Jiang Yuanhui**, Citrus Research Institute, Chinese Academy of Agricultural Science, Beibei, Chongqing 630712, China
- Th. Kapari-Isaia**, Agricultural Research Institute, Nicosia, Cyprus
- A. V. Karasev**, University of Florida, CREC, 700 Experiment Station Rd., Lake Alfred, FL 33850, USA
- A. Kawai**, Yokohama Plant Protection Station, Shinyamashita, Naka-ku, Yokohama 231, Japan
- Ke Chung**, Fujian Academy of Agricultural Sciences, 41 Hualin Rd, Fuzhou 350005, China
- Ke Sui**, Fujian Academy of Agricultural Sciences, 41 Hualin Rd, Fuzhou 350005, China
- U. Kersting**, University of Çukurova, Dept. Plant Protection, 01330 Adana, Turkey

- E. W. Kitajima**, Departamento de Biologia Celular, Instituto de Biologia UNB, CEP 70910-900, Brasilia DF, Brazil
- M. Koizumi**, Okitsu Branch, Fruit Tree Research Station, Okitsu, Shimizu, Shizuoka 424-02, Japan
- S. Korkmaz**, Subtropical Fruits Research and Experimental Centre, University of Çukurova, 01130 Adana, Turkey
- L. Korsten**, Department of Microbiology & Plant Pathology, University of Pretoria, Pretoria, South Africa
- A. Kyriakou**, Agricultural Research Institute, Nicosia, Cyprus
- F. Laigret**, Laboratoire Cellulaire et Moléculaire, INRA et Université de Bordeaux II, BP 81, 33883 Villenave d'Ornon, France
- Lam Thi My Nuong**, Long Dinh Fruit Research Center, Chau Thanh, Tien Giang, Vietnam
- T. K. Lama**, Agricultural Research Station (Horticulture), Pokhara, Nepal
- F. F. Laranjeira**, Instituto Agronomico de Campinas, São Paulo, Brazil
- R. La Rosa**, Istituto di Patologia Vegetale, University of Catania, 95123 Catania, Italy
- Le Thi Thu Hong**, Long Dinh Fruit Research Center, Chau Thanh, Tien Giang, Vietnam
- R. F. Lee**, University of Florida, CREC, 700 Experiment Station Road, Lake Alfred, FL 33850 USA
- Li Gang**, Plant Quarantine Station, Dept. of Agriculture of Sichuan Province, 610041, China
- Li Long-Hua**, Fruit Tree Institute, SAAS, Jiangjin, Sichuan 632260, Sichuan Province, China
- Li Lunying**, Yancun Overseas Chinese Citrus Farm, Guangdong, China
- Li Manxia**, Bureau of Agriculture, Animal Husbandry & Fishery of Chongqing Municipality, Chongqing 630015, China
- Liang Anguo**, Fruit Research Institute, Sichuan Academy of 630700, China
- Liao Gen-Qing**, Bureau of Agriculture of Beibei District, Beibei, Chongqing 630770, China
- Liao Zhenkun**, Hunan Cash Crop Bureau, Hunan Department of Agriculture, Changsha, 410005 Hunan, China
- Liu Gansheng**, Agricultural Bureau, Anhua County, 413500 Hunan, China
- Liu Xueduan**, DePMB 10, Rydalmere NSW 2116, Australia
- B. E. L. Lockhart**, Department of Plant Pathology, University of Minnesota, St. Paul, MN USA
- O. Lovisolo**, Istituto di Fitovirologia Applicata del CNR, I-10135 Torino, Italy
- Luo Zhida**, South China Agricultural University, Guangzhou, China
- M. A. Machado**, Centro de Citricultura Sylvio Moreira/IAC, CP 04, CEP 13490-970, Cordeirópolis SP, Brazil
- L. V. Magnaye**, Bureau of Plant Industry, Bago-Oshiro, Davao City, Philippines
- R. Mallessard**, Projet Développement Fruitier, Mission de Coopération et d'Action Culturelle, French Embassy, Port Louis, Mauritius
- B. Q. Manicom**, Institute for Tropical & Subtropical Crops, P Bag X11208, Nelspruit, 1200, South Africa
- K. L. Manjunath**, University of Florida, CREC, 700 Experiment Station Rd., Lake Alfred, FL 33850, USA
- L. J. Marais**, Outspan Citrus Centre, PO Box 28, Nelspruit, 1200, South Africa
- M. L. Marais**, Outspan Citrus Centre, PO Box 28, Nelspruit, 1200, South Africa

- R. Marino**, Istituto Sperimentale per l'Agrumicoltura, 95024 Acireale, Italy
- M. E. Martínez**, Instituto Valenciano de Investigaciones Agrarias, 46113 Moncada, Spain
- D. M. Mathews**, Department of Plant Pathology, University of California, Riverside, CA 92521, USA
- M. Mawassi**, Department of Virology, ARO, Volcani Center, POB 6, Bet Dagan, 52050 Israel
- H. O. Miao**, Plant Protection Institute, Hebei Academy of Agricultural Sciences, Baoding, 071000 Hebei, China
- E. Mietkiewska**, Department of Virology, ARO, Volcani Center, POB 6, Bet Dagan, 52050 Israel
- R. G. Milne**, Istituto di Fitovirologia Applicata del CNR, I-10135 Torino, Italy
- E. A. Momol**, Dept. Plant Pathology, New York Agric. Exp. Sta., Geneva, NY 14456-0462, USA
- P. Mooney**, The Horticulture and Food Research Institute of New Zealand Ltd., Kerikeri Research Centre Purerua Rd., P.O. Box 23, Kerikeri, New Zealand
- J. I. Morera**, Instituto de Investigaciones Cítricos, Ministry of Agriculture, Havana, Cuba
- P. Moreno**, Instituto Valenciano de Investigaciones Agrarias, 46113 Moncada, Spain
- G. W. Müller**, Centro de Citricultura Sylvio Moreira/IAC, CP 04, 13490-970, Cordeirópolis SP, Brazil
- S. Namba**, Laboratory of Bioresource Technology, University of Tokyo, Tokyo 113, Japan
- L. Navarro**, Instituto Valenciano de Investigaciones Agrarias, 46113 Moncada, Spain
- Nguyen Minh Chau**, Long Dinh Fruit Research Center, Box 203, My Tho, Tien Giang, Vietnam
- Nguyen Van Hoa**, Long Dinh Fruit Research Center, Chau Thanh, Tien Giang, Vietnam
- A. Nhami**, SODEA, BP 6280, Rabat-Instituts, Rabat, Morocco
- C. L. Niblett**, Plant Pathology Department, University of Florida, Gainesville, FL 32611, USA
- O. Nickel**, CNPMF/EMBRAPA, CP 7, 44.380.000 Cruz das Almas, Bahia, Brazil
- O. Nikolaeva**, University of Florida, CREC, 700 Experiment Station Rd., Lake Alfred, FL 33850, USA
- T. Nishio**, Plant Protection Division, Ministry of Agriculture & Fisheries, Kasumigaseki, Chiyoda-ku, Tokyo 100, Japan
- J. M. Ochasan**, Philippine-German Fruit Tree Project, PO Box 11, Baguio City, 2600, Philippines
- F. Ochoa**, Instituto Botánica, Universidad Central de Venezuela, Maracay, 2101, Venezuela
- Y. Ohtsu**, Okitsu Branch, Fruit Tree Research Station, Okitsu, Shimizu, Shizuoka 424-02, Japan
- R. P. Oliveira**, CNPMF/EMBRAPA, CP 7, 44.380.000 Cruz das Almas, Bahia, Brazil
- N. Önelge**, Subtropical Fruits Research & Experimental Centre, University of Çukurova, 01130 Adana, Turkey
- Y. Oren**, Department of Citriculture, Ministry of Agriculture, Israel

- P. E. B. Paiva**, Gravena-Manejo Ecológico de Pragas Agrícolas Ltda., Jaboticabal, São Paulo SP, Brazil
- Pan Chuanzhi**, Department of Plant Protection, Hunan Agricultural University, Changsha, 410128 Hunan, China
- R. P. Pant**, Division of Plant Pathology, IARI, New Delhi-110012, India
- Chr. Papayiannis**, Agricultural Research Institute, Nicosia, Cyprus
- H. R. Pappu**, Plant Pathology Department, University of Florida, Gainesville, FL 32611, USA
- S. S. Pappu**, Plant Pathology Department, University of Florida, Gainesville, FL 32611, USA
- M. N. Pearson**, Dept. Plant Science, University of Auckland, Private Bag 92019, Auckland, New Zealand
- I. Peña**, Instituto de Investigaciones Cítricos, Ministry of Agriculture, Havana, Cuba
- J. Peñaranda**, Unidad de Biotecnología, Universidad Nacional, Bogota, Colombia
- Peng Wei**, Plant Quarantine Station, Sichuan Department of Agriculture, Chengdu, 610041, China
- R. Pérez**, Instituto de Investigaciones de Cítricos, Ministry of Agriculture, Havana, Cuba
- M. Polek**, California Department of Food & Agriculture, Tulare CA 93274 USA
- D. N. Porras**, Instituto de Investigaciones de Cítricos, Ministry of Agriculture, Havana, Cuba
- C. A. Powell**, University of Florida, AREC, Ft Pierce, FL 34945, USA
- M. Prommintara**, Department of Agriculture, Chatuchak, Bangkok, Thailand
- Qi Ju-Xian**, Fruit Research Institute, Sichuan Academy of Agricultural Science, Jiangjin, 632260, Sichuan, China
- Qiu Zhushi**, Citrus Research Institute of Guanxi, Gulin, China
- Quan Jincheng**, Citrus Research Institute of Guanxi, Gulin, China
- M. Rea**, Outspan Citrus Centre, PO Box 28, Nelspruit, 1200 South Africa
- P. S. Reddy**, Citrus Research & Educational Institute, P O Box 42, Dangriga Town, Belize
- C. Regmi**, Royal Nepal Academy of Science & Technology, PO Box 3323, Kathmandu, Nepal
- K. Riley**, Central California Tristeza Eradication Agency, 22847 Road 140, Tulare CA 93274 USA
- D. Rivera**, USDA, APHIS, PPQ, San Juan, Puerto Rico
- V. Rodas**, Montecitros. Monte Azul, São Paulo, Brazil
- J. Rodríguez**, Instituto de Investigaciones de Cítricos, Ministerio de la Agricultura, La Habana, Cuba
- C. N. Roistacher**, Dept. Plant Pathology, University of California, Riverside, CA 92521, USA
- A. Rojas-Solís**, Escuela de Sanidad Vegetal, Universidad Nacional Agraria, Managua, Nicaragua
- V. Rossetti**, Instituto Biológico, CP 7119, 01064-970, São Paulo SP, Brazil
- G. Rossolin**, Chambre d'Agriculture, BP 25, 97410 St Pierre, Réunion
- P. Rucks**, J. M. Berry Groves Corp., 53090 Bermont Rd., Punta Gorda, FL 33982, USA
- C. Saillard**, Laboratoire Cellulaire et Moléculaire, INRA et Université de Bordeaux II, BP 81, 33883 Villenave d'Ornon, France
- M. E. Sánchez de la Torre**, IBBM, Facultad de Ciencias Exactas, Universidad Nacional de La Plata, 1990 La Plata, Argentina

- H. P. Santos Filho**, CNPMF/EMBRAPA, CP 7, 44.380.000 Cruz das Almas, Bahia, Brazil
- S. Saumtally**, Mauritius Sugar Industry Research Institute, Réduit, Mauritius
- G. Savva**, Department of Agriculture, Nicosia, Cyprus
- A. Sediles-Jean**, Escuela de Sanidad Vegetal, Universidad Nacional Agraria, Managua, Nicaragua
- J. S. Semancik**, Dept. Plant Pathology, Univ. California, Riverside, CA 92521, USA
- L. C. Semorile**, IBBM, Facultad de Ciencias Exactas, Universidad Nacional de La Plata, 1900 La Plata, Argentina
- Shu Guangping**, Hunan Horticultural Research Institute, Changsha 410125, Hunan, China
- A. Shukla**, Division of Plant Pathology, Indian Agricultural Research Institute, New Dehli, 110012, India
- J. L. Silvério**, Centro de Citricultura Sylvio Moreira/IAC, CP 04, CEP 13490-970, Cordeirópolis SP, Brazil
- M. Skaria**, Texas A&M Univ./Kingsville, Citrus Ctr., P.O. Box 1150, Weslaco TX 78599-1150 USA
- N. Solís-Gracia**, Texas A&M Univ./Kingsville, Citrus Ctr., P.O. Box 1150, Weslaco TX 78599-1150 USA
- Song Ruilin**, Fruit Research Institute, Fujian Academy of Agricultural Sciences, Fuzhou 350003, Fujian, China
- P. A. Stansly**, Univ. Florida, SWREC, P.O. Box 5127, Immokalee, FL 34142, USA
- A. Starrantino**, Istituto Sperimentale per l'Agrumicoltura, 95024 Acireale, Italy
- H. J. Su**, Department of Plant Pathology & Entomology, National Taiwan University, Taipei 10764, Republic of China
- Tang Ke-Zhi**, Citrus Research Institute, CAAS, Beibei, Chongqing 630712, China
- Y. Q. Tang**, USDA/ARS, 2120 Camden Road, Orlando, FL 32803, USA
- M. L. P. N. Targon**, Centro de Citricultura Sylvio Moreira/IAC, CP 04, 13490-970, Cordeirópolis SP, Brazil
- G. Terranova**, Istituto Sperimentale per L'Agrumicoltura, 95024, Acireale, Italy
- M. Tessitori**, Istituto di Patologia Vegetale, University of Catania, 95123 Catania, Italy
- Tian Yanan**, Fruit Research Institute, Fujian Academy of Agricultural Sciences, Fuzhou 350003, Fujian, China
- D. Tight**, Plant Pathology Dept., Univ. Florida, Gainesville, FL 32611, USA
- D. Timar**, Citrus Marketing Board, Tel Aviv, Israel
- P. Toorawa**, Laboratoire Cellulaire et Moléculaire, INRA et Université de Bordeaux II, BP 81, 33883 Villenave d'Ornon, France
- B. Torrisi**, Istituto Sperimentale per l'Agrumicoltura, 95024 Acireale, Italy
- M. Tsai**, Department of Plant Pathology & Entomology, National Taiwan University, Taipei, Taiwan, Republic of China
- T. Tsukamoto**, Yokohama Plant Protection Station, Shinyamashita, Naka-ku, Yokohama 231, Japan
- S. P. van Vuuren**, Institute of Tropical & Subtropical Crops, P Bag X11208, Nelspruit, 1200 South Africa
- A. Varma**, Division of Plant Pathology, IARI, New Delhi-110012, India
- C. Verniere**, SRA, San Giuliano, 20230 San Nicolao, Corsica, France

- E. A. Verzola**, Department of Agriculture, Cordillera Administrative Region, Baguio City, Philippines
- A. D. Vilarinhos**, CNPMF/EMBRAPA, CP 7, 44.380.000 Cruz das Almas, Bahia, Brazil
- M. Villemin**, Chambre d'Agriculture, BP25, St. Pierre, Réunion
- Wan Shuyuan**, Citrus Research Institute, Huazhong Agricultural University, Wuhan, Hubei, 430070, China
- Wang Hongxiang**, Citrus Research Institute, Zhejiang Academy of Sciences, Huangyan, 317400 Zhejiang, China
- M. Wong**, Service de Développement Rural Recherche Agronomique BP100 Papeete, French Polynesia
- Wu Dexi**, Hunan Horticultural Research Institute, Changsha, 410125 Hunan, China
- Wu Liyou**, Department of Plant Protection, Hunan Agriculture University, Changsha 410128, Hunan, China
- Wu Rujian**, Fruit Research Institute, Fujian Academy of Agricultural Sciences, Fuzhou 350003, Fujian, China
- Wu Shipan**, South China Agricultural University, Guangzhou, China
- Wu Taishu**, Yancun Overseas Chinese Citrus Farm, Guangdong, China
- Wu Zenliang**, Bureau of Agriculture, Animal Husbandry & Fishery of Chongqing Municipality, Chongqing 630015, China
- Xiao Qiming**, Department of Plant Protection, Hunan Agricultural University, Changsha, 410128, P.R. China
- Xiong Xiao-San**, Bureau of Agriculture of Beibei District, Beibei, Chongqing 630700, China
- P. T. Yamamoto**, Gravena-Manejo Ecológico de Pragas Agrícolas Ltda., Jaboticabal, São Paulo SP, Brazil
- Yan Senxiang**, Citrus Research Institute, Zhejiang Academy of Sciences, Huangyan 317400, Zhejiang, China
- M. A. Yilmaz**, Dept. Plant Protection, Çukurova University, Adana, 01330 Turkey
- R. K. Yokomi**, USDA/ARS, 2120 Camden Road, Orlando, FL 32803, USA
- Zhang Caijian**, Bureau of Agriculture, Animal Husbandry & Fishery of Chongqing Municipality, Chongqing 630015, China
- Zhang Jing**, Fruit Research Institute, Sichuan Academy of Agricultural Sciences, Jiangjin 632260, Sichuan, China
- Zhang Tianmiao**, Taizhou Agriculture School, Huangyan, Zhejiang, China
- Zhang Yu-an**, Plant Quarantine Station, Sichuan Department of Agriculture, Chengdu, 610041 Sichuan, China
- Zhao Xueqian**, Plant Quarantine Station, Sichuan Department of Agriculture, Chengdu, 610041 Sichuan, China
- Zhao Xueyuan**, Citrus Research Institute, CAAS, Beibei, Chongqing 630712, China
- Zhou Changyong**, Citrus Research Institute, CAAS, Beibei, Chongqing, China
- Zhou Qiming**, Citrus Research Institute of Guanxi, Gulin, China
- L. Zreik**, Laboratoire Cellulaire et Moléculaire, INRA et Université de Bordeaux II, BP 81, 33883 Villenave d'Ornon, France