

Index

- Aeglopsis chevalieri* Swing., 1-3, 10, 272, 280-84
Afraegle, 272
Agricultural Experiment Station of Tucumán, 199
Amides, 285, 287, 289
Amino acids, 285-87, 289, 290
Andhra Pradesh, India, 30, 33, 225
Aphids as vectors: tristeza, 3, 25-29; seedling yellows, 37
Aphis craccivora Koch, 26
Aphis fabae Scop., 227
Aphis gossypii Glover, 25, 26, 28, 37, 90, 91, 223, 227, 229
Aphis spiraeicola Patch, 25, 91
Atalantia ceilanica (Arn.) Oliver, 73, 189
Azores orange, 99
- Bahia sweet orange, 100, 101, 167, 168
Baianinha sweet orange, 10, 108, 109, 111, 139, 140, 141, 177, 188, 237, 268, 270, 305-8, 309, 310
Barão sweet orange, 3, 18, 23, 24, 57, 58, 70, 71, 95-97, 237, 299-301
Bark lesions, 172-74
Bark scaling, 103, 105, 106, 109-11, 120, 132, 133
Beet yellows virus, 8
Bioassay, 244, 245
Blind pocket, 150, 151
Brown rot gummosis, 220
Bud-union crease: description, 187; relation to xyloporosis, 190; Argentina, 182-86; Brazil, 187-90; Israel, 192-97
Bud-union ring: symptom of xyloporosis, 56-59
Budwood: used in tests, 268-70
Butwal lime, 62, 64, 65, 68
- Cachexia, 77-85; independent development, 82; symptoms, 83; absence of symptoms, 84; conclusions about, 84, 85; aphid transmission, 90, 91; Israel, 291-94
Caipira sweet orange, 120, 140, 168, 177, 306, 307
Calamondin, 32, 33
Carborundum, 245, 251, 261, 266
Chenopodium amaranticolor Coste et Reyn, 11
Citriovir italicum, 255
Citriovir psorosis, 255
Citron, 143; reaction to exocortis, 113-18
Citropsis sp., 73
Citrumelo, 23, 24
Citrus aurantifolia (Christm.) Swing., 1, 10, 14, 22, 25, 30, 47, 61, 62, 77, 90, 125, 139, 150, 154, 162, 177, 192, 223, 226, 235, 255, 265, 280, 302
aurantifolia x *Fortunella japonica* Swing., 22, 73
aurantifolia x *limon*, 144
aurantium L., 14, 26, 30, 36, 41, 46, 73, 91, 99, 124, 134, 172; 179, 187, 192, 202, 208, 220, 241, 254, 265, 273, 295, 302, 305
deliciosa Tenores, 14
depressa Hayata, 77
excelsa Wester, 73, 154
grandis Osbeck, 41, 73, 172, 177, 208, 223
hystrix DC, 73
ichangensis Swing., 73
jambhiri Lushington, 31, 47, 57, 124, 162, 170, 179, 183, 187, 196, 210, 211, 221, 225, 241, 265, 273
junos Siebold, 77
karna Rafin., 73
latifolia Tanaka, 41, 124, 143, 172, 189, 223
limetta Risso, 22, 77, 187

INDEX

- limettioides* Tanaka, 22, 56, 76, 86, 95, 99, 105, 120, 139, 143, 177, 183, 221, 227, 273, 291, 302
- limon* (L.) Burm. f., 14, 18, 26, 31, 36, 47, 77, 91, 103, 115, 120, 139, 150, 154, 157, 173, 176, 180, 185, 187, 195, 208, 242, 245, 255, 302
- limonia* Osbeck, 34, 47, 49, 54, 57, 77, 96, 99, 108, 119, 129, 135, 140, 143, 168, 177, 200, 207, 211, 221, 227, 232, 236, 276, 299, 300, 303, 305
- macrophylla* Wester, 77, 80
- macroptera* Montr., 73
- madurensis* Loureiro, 32, 187, 189, 223
- medica* L., 41, 73, 105, 113, 115, 117, 120, 143, 176, 189
- nobilis* Loureiro, 24, 154, 162, 172, 265
- obovoidea* Takahashi, 260, 265
- paradisi* Macf., 14, 22, 26, 31, 36, 41, 47, 62, 76, 91, 124, 128, 134, 139, 150, 173, 176, 179, 185, 187, 192, 199, 220, 242, 247, 273
- pectinifera*, 73
- pennivesiculata* (Lushington) Tanaka, 73
- reshni* (Engl.) Hort. ex Tanaka, 47, 54, 70, 96, 121, 124, 177, 208, 221, 227, 300, 301, 305
- reticulata* Blanco, 8, 31, 62, 76, 91, 124, 134, 150, 151, 157, 167, 170, 183, 199, 210, 223, 227, 237, 242, 255, 291, 298, 300
- reticulata* x *paradisi*, 8, 22, 56, 61, 86, 90, 92, 95, 124, 162, 208, 233, 265, 282, 300
- reticulata* x *sinensis*, 77, 127, 242
- sinensis* (L.) Osbeck, 3, 10, 14, 18, 26, 30, 40, 46, 49, 52, 57, 61, 70, 91, 95, 99, 108, 115, 120, 124, 128, 134, 139, 150, 154, 157, 162, 167, 168, 170, 176, 179, 182, 187, 195, 208, 210, 213, 220, 223, 227, 233, 235, 241, 247, 255, 272, 276, 285, 286, 288, 295, 299, 302, 305
- sinensis* x *paradisi*, 76, 227
- sinensis* x *Poncirus trifoliata*, 3, 22, 41, 47, 72, 91, 124, 187, 195, 221, 227, 300, 305
- sunki* Hort. ex Tanaka, 78, 300
- taiwanica*, 22, 73, 74, 189
- tangerina* Hort. ex Tanaka, 18, 70, 150, 176, 208, 300
- unshiu* Marcovitch, 78, 242, 260
- volkameriana*, 187
- webberii* Wester, 14, 16, 73
- Citrus Budwood Certification Program: São Paulo, Brazil, 14, 235-40; Concordia, Argentina, 241-43
- Citrus Budwood Registration Program, Florida, 61, 124, 162, 286
- Citrus Dieback Investigation Project, 225
- Citrus variegation virus: Carborundum, 245; "Chicago Pickling" cucumber, 245; Back cowpea, 245, 257; buffers, 246, 247; Lady Finger Round cowpea, 246, 247; ribonuclease, 247, 248; compared to crinkly leaf virus, 253
- Clementine mandarin, 92, 134, 135, 291-94
- Cleopatra mandarin, 23, 70, 87
- Cleopatra tangerine, 24, 96, 98, 121, 177
- Coachella eremocitrus*, 189
- Columbia sweet lime, 22, 62, 64, 65, 68
- Common sweet orange, 100, 101
- Concave gum, 150, 151, 154-60
- Concordia Experiment Station, Argentina, 210
- Coorg mandarin, 34
- Corium*, 8
- Corky vein enation, 223, 224
- Cowpea, 11
- Cravo tangerine, 237
- Crinkly leaf virus, 224; mechanical transmission, 250-53
- Cristal lime, 58
- Cuscuta campestris*, 165
- Cuscuta compacta*, 163-65
- Cuscuta japonica* Choisy, 266
- Cuscuta subinclusa*, 165
- Dancy tangerine, 18, 23, 24, 57, 70, 167, 168
- Dodder, transmission by, 162-66, 266
- Duncan grapefruit, 22
- Etrog citron, 105, 113-17, 121, 122
- Etrog citron test, 137
- Eureka lemon, 14-16, 18, 23, 24, 31, 32-34, 38, 103, 105, 115, 116, 156, 187-90

INDEX

- Exocortis, 55, 70, 74, 84, 202; effects of nitrogen and phosphorus on, 102-7; seed transmission, 139-42; compared in Israel and Argentina, 302-4; Argentina, 128-33; Brazil, 108-12, 119-22, 139-42, 143-47, 232, 238, 268-70, 276-79; Corsica, 134-37; Florida, 124-27; Jamaica, 230; Trinidad, 229; Uruguay, 221
- Feroniela oblata* Swing., 73
- Fertilization, experimental, 47-51, 305-8
- "Finger-marks," 150, 151
- Florida rough lemon, 57, 59
- Florida sweet orange, 23, 24
- Fortunella margarita* Swingle, 242; sp., 73, 208
- Foster grapefruit, 22
- Galego lime, 1-3, 10, 11, 14, 15, 17
- Greening disease, 213-19; in sweet orange, 213; description, 214, 215; transmission by citrus psylla, 218, 219
- Gumming, 65, 66-68
- Gummy-pegs, 70, 71, 73, 75, 95, 96, 98
- Hamlin orange 23, 108-10, 121, 237
- Harvey lemon, 121, 122
- Hassaku dwarf virus, 260-67
- Homosassa orange, 24
- Honeycombing. *See* Wood pitting
- Icerya purchasi* Maskell, 91
- Impietratura, 179-81; Cyprus, 179, 180; Sicily, 179-81
- Jaffa orange, 57, 58
- Kagzi lime, 30, 31, 33, 34
- Kalpi lime, 22
- Key lime, 14, 30-33, 35, 125
- King mandarin, 154-56, 172
- King orange, 162
- Kinnow mandarin, 24
- Koethen sweet orange, 155
- Kusaie lime, 62, 64, 65, 68
- Lamb Summer orange, 40, 41
- Leaf-curl virus, 175-78
- Lima da Persia, 22
- Lime blotch, 145
- Limeira Citrus Experiment Station, 3, 7, 8, 18, 40, 41, 56, 71, 109, 119, 139, 140, 143, 168, 187, 208, 236, 237, 268, 269, 276, 300, 305, 309, 311
- Ling Ming mandarin, 23, 24
- Lisbon lemon, 105, 106
- Lue Gim Gong orange, 40, 41, 44, 100
- Lumpy rind. *See* Impietratura
- Maharashtra State, India, 30, 225
- Malvasio tangerine, 210-12
- Mandarin orange, 31
- Marsh seedless grapefruit, 14, 15, 76-84, 109, 111, 128, 131, 134, 135, 137, 200, 202
- Mazoe rough lemon, 57
- Mechanical transmission of viruses, 244-48, 250-53, 266
- Mediterranean sweet orange, 100
- Merope angulata* (Willd.) Swing., 73
- Mexican lime, 255-57
- Micromelum tephrocarpa*, 22, 73
- Morton citrange, 22, 24, 124-27
- Mosambi sweet orange, 30, 31, 33, 34
- Myzus persicae* (Sulzer), 91, 227
- Natal orange, 40, 44, 47, 48, 237
- Navelencia, 100
- Nocatee tangelo, 62-66, 68, 69, 92
- Nucellar clones in Brazil, 299-306, 307, 308, 309-12
- Oncometopia nigricans* Walker, 91
- Orlando tangelo, 56-59, 61-69, 76-85, 86-89, 95-98; cachexia virus, 90-93
- Palestine sweet lime, 86-89, 105, 143
- Parson Brown, 99
- Parsons Special, 78, 79
- Pegging, 77, 78
- Pera sweet orange, 3, 14, 16, 17, 40, 41, 44, 46-51, 52-55, 100, 187, 188
- Periwinkle: dodder maintained on, 163, 165
- Peroxidase activity of bark, 292-94
- Perrine lemon, 144, 145
- Phloem necrosis, 8
- Phloroglucinol-HCl, 103, 105, 288
- Phyllocoptruta oleivora* Ashm., 122
- Pineapple sweet orange, 163, 164
- Piraphis pirinus* Ferrari, 227
- Poncirus trifoliata* (L.) Raf., 3, 34, 47,

INDEX

- 57, 72, 76, 77, 103, 104-6, 115, 119, 124, 128, 134, 139, 162, 170-1, 182, 187, 208, 210, 214, 221, 227, 232, 241, 285-6, 288, 305
trifoliata x *C. paradisi*, 300
- Ponkan tangerine, 237
 "Pop-corn," 150-52
- Psoriasis, 55, 70, 125, 126, 148, 149, 201; Psoriasis A, 150, 151, 154-60; in cambial tissues, 272-74; Argentina, 170-74; Brazil, 150-53, 167-69, 233, 238; British Honduras, 230; California, 154-60; Florida, 162-66; Israel, 194, 295-98; Jamaica, 230; Philippines, 223; Trinidad, 228, 229; Uruguay, 221
- Purple scale, 86
- Rangpur lime, 23, 24, 34, 47, 48, 57, 62, 64, 65, 68, 96, 98-100, 108-11, 119-22, 129, 132, 133, 140, 141, 143, 144, 146, 168, 177, 268-70, 276-79, 299-301, 306, 307, 311
- Rangpur lime test, 136, 137
- Red Blush grapefruit, 3, 57
- Ring callus, 281
- Rio mandarin, 14, 16
- Rough lemon, 170, 179, 180, 187, 188, 210-12
- Ruby Blood orange, 100
- Rusk citrange, 22
- São Paulo, Brazil, 46, 47, 52-55, 150-53, 167, 309
- Satsuma dwarf virus, 202, 260-67; Blackeye cowpea, 260, 262, 264; *Crotalaria*, 262; Japanese clover, 262; Satisfaction kidney bean, 262, 264; sesame, 263, 264
- Seedling yellows, 16
- Seedling yellows virus: Africa, 29; Argentina, 302-4; California, 36-39; Israel, 302-4; South India, 30-35
- Seleta de Itaborai orange, 57, 58
- Setubal Citrus Experiment Station, Portugal, 152
- Severinia buxifolia* Ten., 3
- Shamouti orange, 57, 58
- Sour orange, 14-16, 134, 179, 180, 295
- Sour orange disease: California, 254, 255, 257, 258; Corsica, 255; Italy, 255, 258; Sicily, 254-58
- Stem pitting, 46-51, 52-55, 77-78, 100, 101; Brazil, 40-44; India, 31
- Stubborn disease in Morocco, 204-6
- Stunting, 15-17, 33, 46-48, 73, 103, 106, 110, 125, 126, 131, 133
- Sunki mandarin, 23, 24
- Sunshine tangelo, 62-65, 67-69, 78, 79
- Sweet lime, 22, 76-85, 99, 302-4; xyloporosis disease in, 90
- Tahiti lime, 57, 143-47
- Tavares limequat, 22
- Temple tangor, 57, 58
- Thomson navel orange, 134, 135, 136, 137
- Thornton tangelo, 92
- Toxoptera aurantii* Boyer, 254, 257, 258
- Toxoptera aurantii* (Fonsc.), 26, 90, 227
- Toxoptera citricidus* (Kirk.), 3, 17, 25-29, 34, 44, 55, 132, 223, 225, 280
- Trifoliate orange, 120-23, 124, 128-33, 134, 170, 182, 183, 187-90
- Tristeza, 70, 79, 202, 282; beet yellows virus, 8; cambial tissues, 272-74; chemical treatment of, 10-13; detection of, 8; stem pitting, 15-17, 52-55; transmission by mechanical means, 13; Brazil, 299-301; British Honduras, 230; India, 225; Jamaica, 229; Philippines, 223; South Africa, 25-29; Spain, 226; Trinidad, 228; Uruguay, 220, 222
- Triumph grapefruit, 199, 202
- Troyer citrange, 3, 7
- University of California Citrus Variety Improvement Program, 76
- Valencia sweet orange, 18, 23, 24, 40, 41, 44, 100, 101, 128, 132, 237, 295, 298
- Variola virus, 207-9; symptoms, 207; São Paulo, 208; *Tetranychidae* as vector, 209
- Vein clearing, 282, 284
- Vein enation virus, 116, 224
- Vigna sinensis*, 11, 245, 251-53, 261, 266
- Virus susceptibility, 157, 158
- Ward's lime, 62, 64, 65, 68

INDEX

- Washington Navel orange, 100, 131, 132
Webber tangelo, 22
Wekiwa tangelo, 76-84
West, Erdman, 162
West Indian lime, 22, 25, 27, 28, 61, 155, 156
Willow-Leaf mandarin, 76-84
Wood pitting, 55, 72, 73, 75, 95, 96, 98, 284
Wood pocket of lemon, 145
Xyloporosis, 125, 126, 201; cachexia, 55, 56-59, 61-69, 70-75; seed transmission, 86-89, 91-93; Argentina, 302-4; Brazil, 233, 238, 299-301; British Honduras, 230; Israel, 197, 302-4; Jamaica, 230; Philippines, 223; Trinidad, 229; Uruguay, 222
Yalaha tangelo, 22
Yellow-vein virus, 163
Young-leaf symptoms, 150, 167-69, 174